

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Texturized polyethylene monofilament
YARN COLOR	Meadow green (also available in florida blue, white, gray, black, red, and red clay)
YARN COUNT	5,600/8
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	3/4"
TUFTING GAUGE	3/16"
FACE WEIGHT	48 oz.
TOTAL PRODUCT WEIGHT	75 oz. / SY unitary, 113 oz. / SY 5mm foam
BACKING	Dual layer primary backing with urethane or 5mm foam
SEAMING	Turf adhesive and tape
INFILL	N/A

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene parallel slit film Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green Secondary: Turf green
YARN COUNT	Primary: 10,000/1 (field) 5,040/1 (non-field) Secondary: 4,200/8
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1"
TUFTING GAUGE	3/8"
FACE WEIGHT	58 oz.
TOTAL PRODUCT WEIGHT	113 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	Not required 2 pounds of sand recommended

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

³ 5,040/1 is available in green only.


Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SKU Rev. 03/24

SportsGrass
by ForeverLawn®



SPORTSGRASS® CURVE

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Nylon monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Red clay Secondary: Black
YARN COUNT	Primary: 9,200/8 Secondary: 4,950/9
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1-3/8"
TUFTING GAUGE	3/8"
FACE WEIGHT	45 oz.
TOTAL PRODUCT WEIGHT	100 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	4 pounds +/- of coated sand / sf maximum

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Slit film/monofilament Secondary: Heat set textured polypropylene monofilament
YARN COLOR	Primary: Field green, field/lime green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1, 12,000/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Dual yarn, alternating rows
BLADE HEIGHT	1-1/2"
TUFTING GAUGE	3/8"
FACE WEIGHT	50 oz.
TOTAL PRODUCT WEIGHT	83 oz.
BACKING	Dual layer primary backing with urethane coating
SEAMING	Turf adhesive and tape
INFILL	1.4 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Slit film/monofilament Secondary: Heat set textured polypropylene monofilament
YARN COLOR	Primary: Field green, field/lime green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1, 12,000/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Dual yarn, alternating rows
BLADE HEIGHT	1-7/8"
TUFTING GAUGE	3/8"
FACE WEIGHT	50 oz.
TOTAL PRODUCT WEIGHT	83 oz.
BACKING	Dual layer primary backing with urethane coating
SEAMING	Turf adhesive and tape
INFILL	1.8 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Texturized nylon monofilament
YARN COLOR	Turf green
YARN COUNT	4,200/8
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	3/8"
TUFTING GAUGE	3/16"
FACE WEIGHT	42 oz.
TOTAL PRODUCT WEIGHT	79 oz.
BACKING	Dual layer primary with an embossed rubber secondary
SEAMING	Turf adhesive and tape
INFILL	Sand optional

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene parallel slit film Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1-1/2"
TUFTING GAUGE	3/8"
FACE WEIGHT	45 oz.
TOTAL PRODUCT WEIGHT	100 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	1.3 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene parallel slit film Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1-3/4"
TUFTING GAUGE	3/8"
FACE WEIGHT	48 oz.
TOTAL PRODUCT WEIGHT	103 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	1.6 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Slit film/monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green, field/lime green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1, 12,000/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Dual yarn, alternating rows
BLADE HEIGHT	1-1/2"
TUFTING GAUGE	3/8"
FACE WEIGHT	50 oz.
TOTAL PRODUCT WEIGHT	105 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	1.3 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Slit film/monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green, field/lime green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1, 12,000/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Dual yarn, alternating rows
BLADE HEIGHT	1-7/8"
TUFTING GAUGE	3/8"
FACE WEIGHT	50 oz.
TOTAL PRODUCT WEIGHT	105 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	1.7 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

SKU Rev. 03/24

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green Secondary: Turf green/ tan
YARN COUNT	Primary: 12,000/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1-1/2"
TUFTING GAUGE	3/8"
FACE WEIGHT	55 oz.
TOTAL PRODUCT WEIGHT	110 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	1.3 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Field green Secondary: Turf green/ tan
YARN COUNT	Primary: 12,000/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	2"
TUFTING GAUGE	3/8"
FACE WEIGHT	55 oz.
TOTAL PRODUCT WEIGHT	110 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric on a dual layer primary.
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	1.7 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene parallel slit film Secondary: Heat set textured polypropylene monofilament
YARN COLOR	Primary: Field green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1-1/2"
TUFTING GAUGE	3/8"
FACE WEIGHT	42 oz.
TOTAL PRODUCT WEIGHT	75 oz.
BACKING	Dual layer primary backing with urethane coating
SEAMING	Turf adhesive and tape
INFILL	1.4 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene parallel slit film Secondary: Heat set textured polypropylene monofilament
YARN COLOR	Primary: Field green Secondary: Turf green/ tan
YARN COUNT	Primary: 10,000/1 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn
BLADE HEIGHT	1-7/8"
TUFTING GAUGE	3/8"
FACE WEIGHT	45 oz.
TOTAL PRODUCT WEIGHT	78 oz.
BACKING	Dual layer primary backing with urethane coating
SEAMING	Turf adhesive and tape
INFILL	1.8 pounds of rubber / sf maximum sand, organic, mixed, and alternative infills available

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

SHOCKPRO 15

PRODUCT SPECIFICATIONS

Components	Specifications
MATERIAL	Molded low density expanded polypropylene (EPP) beads
WEIGHT	1.3 # density
DIMENSIONS	5/8" x 48" x 24"
DRAINAGE	Lateral and vertical
CHANNELS	None
DRAINAGE HOLE SPACING	7-1/2"
CONNECTION STYLE	Interlocking design
GMAX OVER STONE	65-85
GMAX OVER CONCRETE	89-103
USES	Indoor and outdoor
BULK DENSITY	0.02 g/cm3
THICKNESS	15.875mm
SHOCK ABSORPTION	59.29%
DEFORMATION	8.16mm
TENSILE STRENGTH	168.63 N
MASS PER UNIT AREA	0.3113

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.[®]

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn[®]

PRODUCT SPECIFICATIONS

Components	Specifications
YARN TYPE	Primary: Polyethylene monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Primary: Summer green Secondary: Turf green
YARN COUNT	Primary: 5,000/4 Secondary: 4,200/8
TUFTING CONSTRUCTION	Knitted
BLADE HEIGHT	7/8"
TUFTING GAUGE	N/A
FACE WEIGHT	65 oz.
TOTAL PRODUCT WEIGHT	120 oz.
BACKING	Three-layer premium backing made with BioCel™ polyurethane and 100% recycled geotextile nonwoven fabric
SEAMING	Micromechanical bonding reinforced with adhesive
INFILL	Sand optional

¹ Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 5%.

² Recommended infill for normal installation. More or less can be used, and heavy traffic areas will perform better with higher infill levels.

Grass without limits.®

8007 Beeson St., Louisville, OH 44641

866.992.7876 | sportsgrass.com

SportsGrass
by ForeverLawn®

SKU Rev. 03/24